

## 2 Technical Specifications

Heat Output per model


Models	400	450	530	600	750	1000	1250	1600	2000
Maximum heat output	1500 W	1500 W	1500 W	1500W	1500W	1500 W	1500W	1500W	1500W
Minimum heat output	750 W	750 W	750 W	750W	750W	750 W	750W	750W	750W

Voltage supply 220 / 240V 50/60Hz

Power usage for LED lighting / per model


Models	400	450	530	600	750	1000	1250	1600	2000
Flame LED output	6W	6W	8 W	8 W	9.6 W	12 W	13W	15 W	18W
Fuel Bed LED output	7 W	7 W	8 W	8 W	10 W	12 W	15W	18 W	20W
Down lighting LED output	3 W	3 W	3 W	3 W	3 W	4 W	5W	6.6 W	8W
Front LED pulsing lights output	1 W	/	1.5 W	/	1.5 W	1.5 W	1.5W	2.0 W	2.0W
Mood LED lighting output	/	/	/	/	9.6 W	9.6 W	9.6W	9.6 W	9.6W

### Appliance Dimensions




Model	A	B	C	D	E	F	G	H
<b>400</b>	400	532	410	613	/	315	/	51
<b>450</b>	410	430	285	580	/	268	/	180
<b>530</b>	520	632	285	460	/	315	/	51
<b>600</b>	610	560	415	488	/	235	/	25
<b>750</b>	750	782	595	804	187	301	14	99
<b>1000</b>	1000	1032	402	611	187	301	14	99
<b>1250</b>	1250	1282	402	611	187	301	14	99
<b>1600</b>	1600	1632	402	611	187	301	14	99
<b>2000</b>	2000	2032	402	611	187	301	14	99

## Appliance Frame Dimensions



Model	A	B	C	D
1000	997	397	15	30
1250	1247	397	15	30
1600	1597	397	15	30
2000	1997	397	15	30



Model	A	B	C	D	E	F
400	400	490	45	66	72	51
530	520	360	45	51	51	51



# Technical Specifications

## Iconic 500 electric fire

### Heat Output

Model	Maximum heat output	Minimum heat output	Voltage supply
500	1500 W	750 W	220 / 240V 50/60Hz

### Power usage for LED

Model	Flame LED output	Fuel Bed LED output	Down lighting LED output	Front LED pulsing lights output
500	6w	7w	3w	1w

### Appliance Dimensions

